

Certificate of Analysis

Date Reported: 4/19/25

License #: ABCA-127126

Sample Name	Watermelon Mango Gummies	SUMM
Batch ID	EDE_579804	Foreig
Customer Name	Easyday Edibles	Water
Customer License	ABCA-126412	Micro
Sample Type	Infused Edible	RSA
METRC ID	1A4090100000DAD00000075	
Parent ID	1A4090100000DAD00000071	Moist
Date Sampled	4/15/2025	Water
Date Tested	4/16/2025	

SUMMARY	
Foreign Matter	PASSED
Water Activity	PASSED
Microbials	PASSED
RSA	PASSED
Moisture %	N/A
Water Activity	0.475



POTENCY Sample			
CBDV	N.D.	N.D.	N.A.
CBDA	N.D.	N.D.	N.A.
CBGA	N.D.	N.D.	N.A.
CBG	N.D.	N.D.	N.A.
CBD	0.03	0.28	1.14
CBN	N.D.	N.D.	N.A.
d9-THC	0.48	4.77	19.68
d8-THC	N.D.	N.D.	N.A.
CBC	N.D.	N.D.	N.A.
THCA	0.02	0.24	0.97

	MICROBIA	LS		
Sample				
Analyte	Result	Action Limit	UOM	
Yeast & Mold	< 10	100,000		
Aerobic Bacteria	< 10	100,000	CFU/g	
E. coli	Negative	<100		
Salmonella	Negative	1		

RSA				
Sample				
Analyte	Result	Action Limit	UOM	
1,2 Dichloroethane	N.D.	1	ppm	
Benzene	N.D.	1	ppm	
Chloroform	N.D.	1	ppm	
Ethylene Oxide	N.D.	1	ppm	
Methylene Chloride	N.D.	1	ppm	
Trichloroethylene	N.D.	1	ppm	
Acetone	N.D.	5000	ppm	
Acetonitrile	N.D.	410	ppm	
Butane	N.D.	5000	ppm	
Ethanol	N.D.	5000	ppm	
Ethyl Acetate	N.D.	5000	ppm	
Ethyl Ether	N.D.	5000	ppm	
Heptane	N.D.	5000	ppm	
Hexane	N.D.	290	ppm	
Isopropyl Alcohol	N.D.	5000	ppm	
Methanol	N.D.	3000	ppm	
Pentane	N.D.	5000	ppm	

Analyte	Conc (%)	Conc (mg/g)
alpha-Pinene	<lod< td=""><td><lod< td=""></lod<></td></lod<>	<lod< td=""></lod<>
Camphene	N.D.	N.D.
beta-Pinene	N.D.	N.D.
beta-Myrcene	0.003	0.03
delta-3-carene	N.D.	N.D.
alpha-Terpinene	N.D.	N.D.
para-Cymene	N.D.	N.D.
d-Limonene	0.01	0.07
Ocimene	N.D.	N.D.
gamma-Terpinene	N.D.	N.D.
Terpinolene	<lod< td=""><td><lod< td=""></lod<></td></lod<>	<lod< td=""></lod<>
Linalool	0.01	0.05
Isopulegol	N.D.	N.D.
Geraniol	N.D.	N.D.
beta-Caryophyllene	0.01	0.08
alpha-Humulene	0.01	0.05
Nerolidol	N.D.	N.D.
Guaiol	N.D.	N.D.
alpha-Bisabolol	<lod< td=""><td><lod< td=""></lod<></td></lod<>	<lod< td=""></lod<>
Total Terpenes	0.0	3%

rentane	N.D.	5000	ppin
Propane	N.D.	5000	ppm
Toluene	N.D.	890	ppm
Total Xylenes	N.D.	2170	ppm

For LOQ/LOD methodology, inquire with laboratory

Unless stated otherwise, these results have been verified by the laboratory director, and issuance of this COA was authorized by the laboratory director. Pass/Fail criteria and action limits have been established by the Alcoholic Beverage and Cannabis Administration (ABCA). This COA is applicable exclusively to the product referenced within. All results are based on ABCA decision rules. This report shall not be reproduced, except in full, and without the written consent of ClearSight Labs, LLC.